	Application No.	Applicant(s)	Applicant(s)	
Notice of Allowability	10/628,479	MIWA ET AL.		
	Examiner	Art Unit		
	Walter Benson	2858		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. $\boxtimes$ This communication is responsive to <u>interview on</u>	<u>9/30/04</u> .			
2. The allowed claim(s) is/are <u>1-7</u> .				
3. $\boxtimes$ The drawings filed on <u>29 July 2003</u> are accepted	by the Examiner.			
4.   Acknowledgment is made of a claim for foreign  a)   All b)   Some* c)   None of the  Certified copies of the priority docum  Certified copies of the priority docum  Copies of the certified copies of the priority docum  International Bureau (PCT Rule 17.20*  * Certified copies not received:	ents have been received. ents have been received in Application priority documents have been received (a)).	n No in this national stage applica		
Applicant has THREE MONTHS FROM THE "MAILING noted below. Failure to timely comply will result in AB. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ANDONMENT of this application.	a reply complying with the re	quirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
<ul> <li>6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>				
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
<ul> <li>Attachment(s)</li> <li>1. ☒ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (P</li> <li>3. ☒ Information Disclosure Statements (PTO-1449 or Paper No./Mail Date 7/29/03</li> <li>4. ☐ Examiner's Comment Regarding Requirement for of Biological Material</li> </ul>	TO-948) 6. ⊠ Interview Sur Paper No./N PTO/SB/08), 7. ⊠ Examiner's A	Mail Date <u>hereto</u> . Amendment/Comment Statement of Reasons for All	ŕ	
		pervisory Patent Examine	r	
Walter Banson 571-272-2	227	echnology Center 2800		
PTOL-37 (Rev. 1-04)	Notice of Allowability Part of Paper No./Mail Date 20041		Mail Date 20041006	

Application/Control Number: 10/628,479

Art Unit: 2858

## **EXAMINER'S AMENDMENT**

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with Larry Nixon, Reg. No. 25,640 on 9/30/04.
- 3. The application has been amended as follows:

## In the Applicant' specification:

- a. In claim 7, line 5, inserted --substitute/inspection—after "cylindrical" (page 14)
- b. In claim 7, line 7, inserted substitute—after "the" (page 14)
- c. In claim 7, line 10, inserted –substitute—after "the" (page 14)
- d. In claim 7, line 12, inserted -substitute—after "the" (page 14)
- e. In claim 7, line 16, inserted -substitute—after "the" (page 15)

## Allowable Subject Matter

4. An apparatus and method for inspecting an ignition device where the inspection housing functions as a housing substituted for the ignition device housing and an outer peripheral core of the ignition coil during the inspection. The measuring is performed using the inspection housing

Application/Control Number: 10/628,479

Art Unit: 2858

that differs from the ignition device housing especially in that a ground electrode is not fixed to the inspection housing.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Walter Benson whose telephone number is (571) 272-2227. The examiner can normally be reached on Mon to Fri 6:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, N. Le can be reached on (571) 272-2233. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Walter Benson WR Patent Examiner

October 6, 2004